MA	\bigcirc	S

LIGHTING UP YOUR CREATIVITY

51 Bras Basah Read = Flaza By The Park Singapore :89554 Tel (65) 339 8616 Fax (65) 339 9230 ha //www.pos.cov.sa

ln	Reply	Piease	Quote	Our	Reference
----	-------	--------	-------	-----	-----------

Your Ref

: 3084 SQ14 / GM/SC/

Our Ref

: 200002047-9/

Date

: 12/05/02

Writer's Direct Line: 6330 2748

5(903031)

Dear Sirs,

Invitation To Respond	To A Written Opinion	
Application No:	200002047-9/	
Applicant:	Corring Incorporated/	
Request Filed On:	08/08/02/	

Attached is a copy of written opinion drawn up by the Examiner in connection with the request made for:

Search and Examination Report; or

Examination Report

You are invited to respond to this opinion by submitting:

- (a) written arguments disagreeing with the Examiner's opinion, and/or
- (b) an amendment of the specification of the application.

If you intend to respond, the response must be filed within 5 months from the date of this letter. You are also advised to let us know arly by completing Part II of this letter if you intend not to respond.

The examiner will proceed to establish the examination report at the expiration of the allowed period when no response is received.

> Annie Besant d/o Surendran (Madam) for Registrar of Patents Singapore

Part II

We refer to the above invitation. We do not wish to respond to this written opinion and please inform the IP, Australia / Austrian Patent Office ** accordingly.

Date

** delete as appropriate

Name of Agent

Applicant's or agent's file reference		
3084SG14/GM/JC /		
Application No.	Application Filing Date (day/month/year)	(Earliest) Priority Date (day/month/year)
SG 200002047-9 /	11 April 2000 /	11 April 2000 /
Applicant	"ME	CEIVE
CORNING INCORPORATED	Joy 2	, TVED
	GROVE	0 7003
	,,	1700
This search report consists of a total of 3 sheets		11 April 2000 / 8 2003
	03	
It is also accompanied by a copy of	of each prior art document cited in this report.	
1. Certain claims were found unsea	urchable (See Box I)	
Certain claims were rouse asset		
2. Unity of invention is lacking (Sec	Box II)	42
	<u>: •</u>	
The application contains disclosur of the sequence listing	e of a nucleotide and/or amino acid sequence is	sting and the search was carried out on the basis
filed with the application	•	
furnished by the applicant se	eparately from the application,	
	and the street that it did not include	matter going beyond the disclosure in application
as filed	y a statement to the effect that it did not include i	matter going beyond the disclosure in approacion
4. With regard to the title,	he text is approved as submitted by the applicant.	
t	he text has been established by this Office to read	as follows:
		•
5. With regard to the abstract, X	he text is approved as submitted by the applicant	
t	he text has been established by this Office as it ap	opears in Box III
6. The figure of the drawings to be published with the abstract is Figure No.		
a	s suggested by the applicant.	
t	pecause the applicant failed to suggest a figure	
t	because this figure better characterises the inventi	on
X	None of the figures	

A leation No.
SG 200002047-9

SEARCH REPORT CLASSIFICATION OF SUBJECT MATTER According to International Patent Classification (IPC) Int. Cl.⁷ C03C 3/091 FIELDS SEARCHED B. Minimum documentation searched (classification system followed by classification symbols) Int. Cl. C03C 3/091 (C03C 3/08 in Int. Cl. and earlier) Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Citations of foreign equivalents US 6319867 and WO 2000/32528 Electronic data base consulted during the search (name of data base and, where practicable, search terms used) Derwent Online Abstracts: C03C 3/08 and 3/091, keywords for Al₂O₃, B₂O₃, CaO, viscosity and density/specific gravity as appropriate. USPTO full text site, keywords glass and viscosity and density and silica and alumina and (boron or boria) and "strain point". All period 1975-2000. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Relevant to Category* claim No. EP 714862 A (ASAHI GLASS CO. LTD.) 5 June 1996. See examples 12, 31, 32. 1-29 X JP 11-310430 A (ASAHI GLASS CO. LTD.) 9 November 1999. See example 12. 1-29 X WO 98/27019 A (CORNING INCORPORATED) 25 June 1998. See examples. 1-29 US 5116788 A (DUMBAUGH, JR.) 26 May 1992. See examples. 1-29 Α US 4824808 A (DUMBAUGH, JR.) 25 April 1989. See examples. 1-29 Α US 4394453 A (DUMBAUGH, JR.) 19 July 1983. See examples. 1-29 A See patent family annex Further documents are listed in the continuation of Box C Special categories of cited documents: later document published after the international filing date or priority date document defining the general state of the art and not in conflict with the application but cited to understand the principle "A" which is not considered to be of particular or theory underlying the invention relevance document of particular relevance; the claimed invention cannot be earlier application or patent but published on or "E" considered novel or cannot be considered to involve an inventive step after the international filing date when the document is taken alone document of particular relevance; the claimed invention cannot be document which may throw doubts on priority considered to involve an inventive step when the document is combined claim(s) or which is cited to establish the with one or more other such documents, such combination being obvious to publication date of another citation or other special a person skilled in the art reason (as specified) document member of the same patent family document referring to an oral disclosure, use, "O" exhibition or other means document published prior to the international filing date but later than the priority date claimed Date of mailing of the search report Date of completion of the search report Date of submission of the request to the Australian Patent Office D 4 APR 2003 28 March 2003 24 March 2003 Authorised officer Name and mailing address AUSTRALIAN PATENT OFFICE

GRAEME J. BROXAM.

FormAPO/SG /210 (second sheet) (March 1997)

E-mail address: pct@ipaustralia.gov.au Facsimile No. 61 2 62853929

PO BOX 200, WODEN ACT 2606, AUSTRALIA

SEARCH REPORT

PATENT FAMILY MEMBERS

SG 200002047-9

	Document Cited in Search Report			Pater	nt Family Member		
EP	714862	JР	09-169538	JР	09-169539	US	5801109
		US	6169047	ЛР	10-072237		
JР	11-310430	NONE					
wo	9827019	EP	960075	KR	2000057622	US	6060168
US	5116788	EP	528149	JP	05-213627		
US	4824808	AU	24743/88	CA	1320509	EP	316089
		HK	259/94	JP	01-160844	SG	149/94
US	4394453	NONE					
							END OF ANNEX



WRITTEN OPINION

	·			
		Date of mailing day/month/year	0 4 APR 2003	
Applicant's or agent's file reference	Applicant's or agent's file reference		E within FIVE MONTHS of the date of	
3084G14/GM/JC	•	the Registra	ar's letter enclosing the written opinion	
Application No.	Application Filing D	ate (day/month/year)	Priority Date (day/month/year)	
SG 200002047-9	11 April 2000		11 April 2000	
International Patent Classification (IPC) (as	indicated in the searc	h report)		
Int. Cl. 7 C03C 3/091		Ö		

Applicant			4	
CORNING INCORPORATED		7		
1. This First written opinion consists of a		- ii		
III Lack of unity of invention IV X Reasoned statement with citations and explanations V Certain documents cited VI Certain defects in the app VII X Certain observations on the	inion with regard to not regard to novelty, investigation lication ne application	evelty, inventive step and entive step or industrial ement	nd industrial applicability l applicability;	
3. This opinion is based upon the assumption	on that the priority cla	im is valid.		
4. The search report used was issued by the	Australian Patent	Office, and the date of	completion is: 28 March 2003	
If no reply is filed, the examination report will be established on the basis of this opinion.				
6. The date by which the examination repor	t will be established is	:: 11 July 2004 /		
Name and mailing address		Authorized Officer	00 00	
AUSTRALIAN PATENT OFFICE			$VX\sim d(O)$	

GRAEME J. BROXAM

E-mail address: pct@ipaustralia.gov.au Facsimile no. 61 2 62853929

PO BOX 200, WODEN ACT 2606, AUSTRALIA

WRITTEN OPINION

Application No. SG 200002047-9

I.	Basis of the opin	ion				
1.	This opinion has been drawn on the basis of:					
	X the application as originally filed.					
	the description,	pages , as originally filed,				
	ine description,					
		pages , filed with the request, pages , received on with the letter of				
	C the delay					
	the claims,	pages , as originally filed,				
		pages , filed with the request,				
		pages , received on with the letter of				
	the drawings,	sheets/fig. , as originally filed,				
		sheets/fig. , filed with the request,				
		sheets/fig. , received on with the letters of				
	the sequence list	ing part of the description:				
		pages , as originally filed				
		pages , filed with the demand				
		pages , received on with the letter of				
2.	The amendments have i	resulted in the cancellation of: pages:				
		sheets of drawings/figures No:				
3	This opinion has go beyond the dis	been established as if (some of) the amendments had not been made, since they have been considered to sclosure as filed, as indicated in the Supplemental Box.				
4.	Additional observations	s, if necessary:				
	•					
		·				
	•					
		·				

WRITTEN OPINION

Application No.

SG 200002047-9

IV. Reasoned statement with regard to novelty, inventive step or industrial applicability; citati ns and explanations supporting such statement

1. Statement				
Novelty (N)	Claims	YES		
	Claims 1-29	NO		
Inventive step (IS)	Claims	YES		
	Claims 1-29	NO		
Industrial applicability (IA)	Claims 1-29	YES		
	Claims	NO		

2. Citations and explanations

The following documents were cited in the search report established by this office:

- a) EP 714862 A (ASAHI GLASS CO. LTD.) 5 June 1996. See examples 12, 31, 32.
- b) JP 11-310430 A (ASAHI GLASS CO. LTD.) 9 November 1999. See example 12.
- c) WO 98/27019 A (CORNING INCORPORATED) 25 June 1998. See examples.
- d) US 5116788 A (DUMBAUGH, JR.) 26 May 1992. See examples.
- e) US 4824808 A (DUMBAUGH, JR.) 25 April 1989. See examples.
- f) US 4394453 A (DUMBAUGH, JR.) 19 July 1983. See examples.

NOTE: The Singapore application is equivalent to foreign applications WO 00/32528 A published 8 June 2000 and US Patent 6319867 B1 of 20 November 2001, the search results of which were also considered during the search. The US equivalent of document (c) and document (f) were cited in the granted US Patent.

Documents (c) to (f) are cited as underpinning the current state of the art in making flat screen display glasses. They describe the desirable characteristics of such glasses in terms of their viscosity at solidus, temperatures of strain and melting, density and/or coefficient of expansion for such usages, in most cases these parameters being comparable to those of the instant application. However, none have essentially similar compositions, documents (c) and (f) being the closest with essentially no Ba, but less silica and more alumina, while documents (d) and (e) require the presence of Ba. In my opinion there is no reason to believe that it would have been obvious to a person skilled in the art to use Ba-free Si/Al/B/Ca glass compositions in the defined ranges with an expectation of obtaining the same results, so the claims of the Singapore application are considered to be novel and possess an inventive step in the light of these documents.

Documents (a) and (b), however, both disclose, in the examples indicated above, glass compositions with essential components in the nominated ranges, intended for the same basic use, as in the Singapore application. They have consistent densities and coefficients of thermal expansion as in the current invention, but do not define the viscosity at liquidus itself, although they have a viscosity an order of magnitude less at higher temperatures. Given all the similarities in the defined parameters, it must be assumed that they either have comparable liquidus viscosities, or else the claims do not fully define the invention as they do not indicate how a different desiderata is obtained. Clarification is required.

Given that the broadest claims must contain all of the essential features of the invention, it follows that the additional features in the dependent claim must be optional features that, even if not specifically disclosed in the citations, would appear to be intrinsic features of the composition, or mere optimisation of known parameters to obtain a better, but non-surprising, result, and do not in themselves add novelty over the cited art.

Not withstanding the above matters, the claims of the Singapore application are clearly Industrially Applicable.



WRITTEN OPINION

Application No. SG 200002047-9

VII. Certain	bservations	on the	application
--------------	-------------	--------	-------------

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

Claim 1 does not fully define the invention because it does it does not include other apparently essential and characterising features of the invention, such as the linear coefficient of expansion, chemical stability, strain point and melting temperature, that appear to be essential so that the objectives of the invention will be met. Conversely, it would appear probable that compositions in accordance with claim 1 as it currently stands could be prepared that did not obtain the other required characteristics. This is particular significant in the light of the discussion of the citations where it is not clear how an apparently different physical parameter is obtained when all the other essential features are the same.					
Claims 13 and 14 are not clear because they are directed to a device whereas claims 12 to which they are appended in the device.	ed is				
directed to all improvement in the device.					
The claimed invention is patentable according to Section 13(2); or					
The claimed invention is unpatentable according to Section 13(2) because:					
	ļ				

WHAT IS CLAIMED IS:

- 1. An aluminosilicate glass exhibiting a density less than about 2.45 g/cm³ and a liquidus viscosity greater than about 200,000 poises, the glass consisting essentially of the following composition as calculated in mol percent on an oxide basis: 65-75 SiO₂, 7-13 Al₂O₃, 5-15 B₂O₃, 0-3 MgO, 5-15 CaO, 0-5 SrO, and essentially free of BaO.
- 2. The glass of claim 1, wherein the RO/Al_2O_3 ratio is between 0.9 and 1.2, wherein R represents Mg, Ca, Sr and Ba.
- 3. The glass of claim 1, wherein the glass has a strain point greater than about 650 °C.
- 4. The glass of claim 1, wherein the glass has a linear coefficient of thermal expansion (CTE) over the temperature range 0-300°C between 28-35 X10⁻⁷/°C.
- 5. The glass of claim 4, wherein the glass has a strain point greater than about 660°C.
- 6. The glass of claim 4, wherein the glass has a melting temperature less than about 1700 °C.
 - 7. The glass of claim 4, wherein the glass has a CTE of $28-33 \times 10^{-7}$ /°C.
- 8. The glass of claim 1, wherein the glass exhibits a weight loss of less than 0.5 mg/cm^2 after immersion in a solution of 1 part 50 wt.% HF and 10 parts 40 wt. % NH₄F for 5 minutes at 30 °C.
- 9. The glass of claim 1, wherein the glass has a liquidus viscosity greater than about 400,000 poises.
- 10. A glass according to claim 1, wherein the glass has a liquidus viscosity greater than about 600,000 poises.
- 11. A glass according to claim 1, wherein the glass contains between 0-1 mole percent MgO when the glass contains no SrO.
- 12. In a flat panel display device, the improvement comprising a substrate in accordance with claim 1.
- 13. The flat panel display device of claim 12, wherein the substrate has an average surface roughness less than about 0.5 nm.

- 14. The flat panel display device of claim 12, wherein the substrate has an average internal stress less than about 150 psi.
- 15. A glass according to claim 1, wherein the glass has a composition consisting essentially of, as expressed in mol percent on an oxide basis: $67-73 \text{ SiO}_2$, $8-11.5 \text{ Al}_2\text{O}_3$, $8-12 \text{ B}_2\text{O}_3$, 0-1 MgO, 5.5-11 CaO, and 0-5 SrO.
- 16. The glass of claim 15, wherein the glass has a strain point greater than about 650 °C.
 - 17. The glass of claim 15, wherein the glass has a CTE of 28-33 X 10⁻⁷/°C.
- 18. The glass of claim 17, wherein the glass has a strain point greater than about 660°C.
- 19. The glass of claim 17, wherein the glass has a melting temperature less than about 1700 °C.
- 20. The glass of claim 17, wherein the glass has a liquidus viscosity greater than 400,000 poises.
- 21. The glass of claim 17, wherein the glass has a liquidus viscosity greater than about 800,000 poises
- 22. In a flat panel display device, the improvement comprising a substrate in accordance with claim 17.
- 23. The flat panel display device of claim 22, wherein the substrate has an average surface roughness less than about 0.5 nm.
- 24. The flat panel display device of claim 22, wherein the substrate has an average internal stress less than about 150 psi.
- 25. In a flat panel display device, the improvement comprising a substrate in accordance with claim 21.
- 26. A substrate for a flat panel display device, wherein the substrate is comprised of a flat, transparent glass exhibiting a density less than about 2.40 g/cm³, a linear coefficient of thermal expansion (CTE) over the temperature range 0-300°C between 28-33 X10⁻⁷/°C and having a liquidus viscosity greater than about 400,000 poises, the glass consisting essentially of the following composition as calculated in mol percent on an oxide basis: 65-75 SiO₂, 7-13 Al₂O₃, 5-15 B₂O₃, 0-3 MgO, 5-15 CaO,

- 0-5 SrO, and essentially free of BaO and the RO/Al_2O_3 ratio is 0.92-0.96, wherein R represents Mg, Ca, Sr, and Ba.
- 27. A substrate according to claim 26, wherein the glass exhibits a strain point exceeding 660 °C.
- 28. The substrate according to claim 26, wherein the substrate has an average surface roughness less than about 0.5 nm.
- 29. The substrate according to claim 26, wherein the substrate has an average internal stress less than about 150 psi.